




# Jinan Shenglei Bearing Co., Ltd.



S7016 CE/HCP4A Bearing 2D drawings and 3D CAD models

## 80 mm x 125 mm x 22 mm SKF S7016 CE/HCP4A Angular contact ball bearing

Bearing No. S7016 CE/HCP4A

Size	125x80x22 mm
Bore Diameter	125 mm
Outer Diameter	80 mm
Width	22 mm
d	80 mm
D	125 mm
B	22 mm
d <sub>1</sub>	95.83 mm
d <sub>2</sub>	93 mm
D <sub>2</sub>	112.6 mm
r <sub>1,2</sub> - min.	1.1 mm
r <sub>3,4</sub> - min.	0.6 mm
a	24.9 mm
d <sub>a</sub> - min.	86 mm
d <sub>a</sub> - max.	95.1 mm
d <sub>b</sub> - min.	86 mm
d <sub>b</sub> - max.	92.3 mm
D <sub>a</sub> - max.	119 mm
D <sub>b</sub> - max.	120.8 mm
r <sub>a</sub> - max.	1 mm
r <sub>b</sub> - max.	0.6 mm
Basic dynamic load rating - C	33.8 kN
Basic static load rating - C <sub>0</sub>	28 kN
Fatigue load limit - P <sub>u</sub>	1.2 kN



## Jinan Shenglei Bearing Co., Ltd.

Limiting speed for grease lubrication	17500 r/min
Ball - $D_w$	11.112 mm
Ball - $z$	25
Calculation factor - $f_0$	9.4
Preload class A - $G_A$	180 N
Preload class B - $G_B$	550 N
Preload class C - $G_C$	1090 N
Calculation factor - $f$	1.1
Calculation factor - $f$	1
Calculation factor - $f_{2A}$	1
Calculation factor - $f_{2B}$	1.03
Calculation factor - $f_{2C}$	1.05
Calculation factor - $f_{HC}$	1.01
Preload class A	80 N/micron
Preload class B	127 N/micron
Preload class C	174 N/micron
$d_1$	95.83 mm
$d_2$	93 mm
$D_2$	112.6 mm
$r_{1,2}$ min.	1.1 mm
$r_{3,4}$ min.	0.6 mm
$d_a$ min.	86 mm
$d_a$ max.	95.1 mm
$d_b$ min.	86 mm
$d_b$ max.	92.3 mm
$D_a$ max.	119 mm
$D_b$ max.	120.8 mm
$r_a$ max.	1 mm
$r_b$ max.	0.6 mm
Basic dynamic load rating C	33.8 kN



## Jinan Shenglei Bearing Co., Ltd.

Basic static load rating $C_0$	28 kN
Fatigue load limit $P_u$	1.18 kN
Attainable speed for grease lubrication	17500 r/min
Ball diameter $D_w$	11.112 mm
Number of balls $z$	25
Preload class A $G_A$	180 N
Static axial stiffness, preload class A	80 N/ $\mu$ m
Preload class B $G_B$	550 N
Static axial stiffness, preload class B	127 N/ $\mu$ m
Preload class C $G_C$	1090 N
Static axial stiffness, preload class C	174 N/ $\mu$ m
Calculation factor $f$	1.1
Calculation factor $f_1$	1
Calculation factor $f_{2A}$	1
Calculation factor $f_{2B}$	1.03
Calculation factor $f_{2C}$	1.05
Calculation factor $f_{HC}$	1.01
Calculation factor $f_0$	9.4
Mass bearing	0.81 kg